



PRODUCT DATA

Cool, Mid, Hot, Very Hot Temperature Reactive Reducers

DESCRIPTION:

Transtar's Basecoat Reactive Reducers have been formulated as a comparable offering for use in PPG Deltron Basecoat color (DBU) only. This product crosslinks with DELTRON Color to form a strong film and helps minimize mottling.

TECHNICAL DATA:

7501-P	Cool:	55° - 65°F (13° - 18°C)
7511/7515-P	Mid:	65° - 75°F (18° - 24°C)
7521-P	Hot:	75° - 90°F (24° - 32°C)

DIRECTIONS:

1. Reduce basecoat color in a ratio of 150% to 200% (1:(1.5-2)) with appropriate reactive reducer for shop temperature.
2. Adjust air pressure to 35-45 PSI for conventional and 10 PSI for HVLP spray equipment.
3. Apply 2-3 coats as needed to achieve color matching and desired hiding,
4. Allow 10-15 minutes dry time between coats. However, if two coats of DBU color are applied the final color coat should dry at least 20 minutes before applying clearcoat. For each additional coat (after 2 coats) an additional 10 minutes dry time must be observed. Example, 3 coats wait 30 minutes; 4 coats wait 40 minutes, etc.
5. Follow manufacturers recommendations for basecoat flash time before applying clearcoat.

NOTE: This product is moisture sensitive, once opened closure must be tightly replaced after each use. Discard after 7 days.

DISCLAIMER: PPG and DBU are registered trademarks of Pittsburgh Paint & Glass. PPG does not manufacture, endorse, or guarantee Transtar products.

SALES POINTS:

- For use with PPG DELTRON (DBU) Color
- Ensures excellent appearance of basecoats
- Blendable to meet shop conditions
- For use in a variety of temperatures and climatic conditions
- Initiates a chemical reaction for fast cure or flash time of basecoat

COMPETITION:

Transtar	DuPont	Matrix	Montana	Rubberseal	APC	5 Star
7501-P	DRR1160	MR-01160	MP-1160	TK-1360	0811	5600
7511/7515-P	DRR1170	MR-01170	MP-1170	TK-1370	0711	5601
7521-P	DRR1185	MR-01185	MP-1175	TK-1385	N/A	5602

(Refer to Material Safety Data Sheet for proper handling of products listed in this bulletin.)

PACKAGE SIZES:

- #7501-P Basecoat Reactive Reducer (Cool), Gallon, 2/case
- #7511-P Basecoat Reactive Reducer (Mid), Gallon, 2/case
- #7515-P Basecoat Reactive Reducer (Mid), 5 Gallon, 1/case
- #7521-P Basecoat Reactive Reducer(Hot), Gallon, 2/case

