

Technical Data Sheet

No Mix Reducers and Zero VOC Reducers are designed for use in No Mix primer, sealer, topcoat or clearcoat. They can also be used in virtually all brands of primer, sealer, topcoat or clearcoat. They are suitable for overall or spot/panel refinishing and assist in producing brilliant gloss and superior leveling. Instructions: Read all directions for safe and proper usage and application of this product.

MIXING/APPLICATION

Read all directions for safe and proper usage and application of this product. Refer to the specific label directions for the primer, sealer, topcoat or clearcoat in order to determine proper reduction ratios.

Note: This product must be blended with other materials before application. Review and understand the warnings on all containers since the sprayable mixture will have the hazards of its components.

PRODUCT SPECIFICATIONS/REGULATORY

Speed/Temperature: Fast - 60-75°F (16-24°C)		Speed/Temperature: Normal - 65-80°F (18-26°C)	
Sizes: LV-541 (Gallon)		Sizes: LV-551 (Gallon)	
VOC Actual	7.47#/gal (895 g/l)	VOC Actual	7.44#/gal (891 g/l)
VOC Regulatory	7.47#/gal (895 g/l)	VOC Regulatory	7.44#/gal (891 g/l)
Weight % of Volatiles	100%	Weight % of Volatiles	100%
Weight % of Water	0	Weight % of Water	0
Weight % of Exempt Compounds	0	Weight % of Exempt Compounds	0
Volume % of Exempt Compounds	0	Volume % of Exempt Compounds	0
Density of Material	7.47	Density of Material	7.44
Speed/Temperature: Fast - 60-75°F (16-24°C)		Speed/Temperature: Normal - 65-80°F (18-26°C)	
Sizes: LV-571 (Gallon)		Sizes: LV-581 (Gallon)	
VOC Actual	0.00#/gal (0 g/l)	VOC Actual	0.00#/gal (0 g/l)
VOC Regulatory	0.00#/gal (0 g/l)	VOC Regulatory	0.00#/gal (0 g/l)
Weight % of Volatiles	100%	Weight % of Volatiles	100%
Weight % of Water	0	Weight % of Water	0
Weight % of Exempt Compounds	100%	Weight % of Exempt Compounds	100%
Volume % of Exempt Compounds	100%	Volume % of Exempt Compounds	100%
Density of Material	8.74	Density of Material	9.79

LIMITATIONS & PRECAUTIONS

- For use only by professional, trained painters. Not for sale to or use by the general public.
- Before use, read and follow all TDS, label and SDS precautions.