

Tinuvin 328 (Benzotriazole UV absorber) (25973-55-1)

LD50 Oral Rat > 2325 mg/kg

Carbon black (1333-86-4)

LD50 Oral Rat > 8000 mg/kg

IARC Group 2B

OSHA Hazard Communication Carcinogen List

Adhesion Promoter (Trade Secret)

LD50 Oral Rat 74.60 uL/kg

Silane, ethenyltrimethoxy- (2768-02-7)

LC50 Inhalation Rat 16.8 mg/l/4h

Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)- (22673-19-4)

LD50 Oral Rat 1864 mg/kg

Titanium dioxide (13463-67-7)

LD50 Oral Rat > 10000 mg/kg

IARC Group 2B

OSHA Hazard Communication Carcinogen List

Calcium Carbonate (471-34-1)

LD50 Oral Rat 6450 mg/kg

IARC Group 1

National Toxicology Program (NTP) Status Known Human Carcinogens.

OSHA Hazard Communication Carcinogen List

Petroleum distillates, hydrotreated light (64742-47-8)

LD50 Oral Rat > 5000 mg/kg

LD50 Dermal Rabbit > 2000 mg/kg

LC50 Inhalation Rat > 5.2 mg/l/4h

1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich (68515-48-0)

LD50 Oral Rat 2550 mg/kg

LD50 Dermal Rabbit > 3160 mg/kg

Calcium oxide (1305-78-8)

LD50 Oral Rat > 2000 mg/kg

LD50 Dermal Rabbit > 2500 mg/kg

Dibutyltin oxide (818-08-6)

LD50 Oral Rat 44.9 mg/kg

SECTION 12: ECOLOGICAL INFORMATION**12.1. Toxicity – Materials that may be ingredients identified in Section 3.**

Ecology - General: Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Carbon black (1333-86-4)

EC50 Daphnia 1 5600 mg/l (Exposure time: 24 h - Species: Daphnia magna)

Petroleum distillates, hydrotreated light (64742-47-8)

LC50 Fish 1 45 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])

LC 50 Fish 2 2.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])

1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich (68515-48-0)

LC50 Fish 1 0.42 mg/l (Exposure time: 96 h - Species: Ictalurus punctatus [flow-through])

EC50 Daphnia 1 > 0.086 mg/l (Exposure time: 48 h - Species: Daphnia magna)

LC 50 Fish 2 > 0.16 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])

Dibutyltin oxide (818-08-6)

EC50 Daphnia 1 2 mg/l (Exposure time: 48 h, Species: Daphnia Magna)

N-[3-(Trimethoxysilyl)propyl]-1,2-ethanediamine (1760-24-3)

LC50 Fish 1 597 mg/l (Species: Danio rerio)

EC50 Daphnia 1 81 mg/l

ErC50 (algae) 8.8 mg/l (Exposure time: 72 h - Species: Pseudokirchneriella subcapitata)

NOEC chronic fish 344 mg/l

NOEC chronic crustacea 35 mg/l

NOEC chronic algae 3.1 mg/l (Pseudokirchnerella subcapitata Exposure time: 96h)

12.2. Persistence and Degradability Not available**12.3. Bioaccumulative Potential****Calcium Carbonate (471-34-1)**

BCF Fish 1 (no bioaccumulation)

Petroleum distillates, hydrotreated light (64742-47-8)

BCF Fish 1 61 - 159

12.4. Mobility in Soil**Stearic acid (57-11-4)**

Log Koc 51.05

12.5. Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS**13.1. Waste treatment methods**

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, and international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Combustion products may include HCl. Facility must be capable of handling halogenated materials. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substance/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

Ecology – Waste Materials: Avoid release to the environment.

SECTION 14: TRANSPORT INFORMATION

14.1. In Accordance with DOT	Not regulated for transport
14.2. In Accordance with IMDG	Not regulated for transport
14.3. In Accordance with IATA	Not regulated for transport
14.4. In Accordance with TDG	Not regulated for transport

SECTION 15: REGULATORY INFORMATION**15.1. US Federal Regulations**

TSCA: All components are listed or are exempt from listing on the Toxic Substance Control Act Inventory.

CERCLA/SARA Section 311/312 Hazard Classes: Immediate (acute) health hazard, Delayed (chronic) health hazard

CERCLA/SARA Section 313 - Emission Reporting: 0.1 %

15.2. US State Regulations**U.S. - California - Proposition 65 - Carcinogens List**

WARNING: This product may contain one or all of the following chemicals known to the State of California to cause cancer or reproductive toxicity. Reference Section 3 for specific product composition.

Carbon black (1333-86-4)

Titanium dioxide (13463-67-7)

Quartz (14808-60-7)

DINP (68515-48-0)

Carbon black (1333-86-4)/ Titanium dioxide (13463-67-7)/ Limestone (1317-65-3)/ Quartz (14808-60-7)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances (Only Carbon black (1333-86-4))

U.S. - Pennsylvania - RTK (Right to Know) List

Plasticizer: Trade Secret

U.S. - Massachusetts - Right To Know List

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision Date: 2021-11-05

Other Information: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

Prepared By

Transtar Autobody Technologies

2040 Heiserman Drive

Brighton, MI 48116

800-824-2843

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.